

MINDERSPEEDTM



MINDERSPEED
MXB SERIES PUMP

www.minderwater.com.au sales@minderwater.com.au

Our Products
Your Future.



Features & Advantages

- **Ultra Quiet Operation** MINDERSPEED[™] pumps are so quiet that you may not even notice it is running. It is rated at 61dB at 1 meter distance.
- Reliable Wet-end component is constructed from corrosion and UV resistant engineered plastic for long operation life. Built in over-heating and overloading protection.
- **Performance** Unique AC bearing technology allows effective power delivery, resulting in optimum flow rate for quick water turnover.
- **Convenient** Extra-large basket for long intervals between cleaning.
- All models come with 2" (Imperial) /63mm (Metric) angle adjustable union. (Traditional Union is available by request)
- Self-priming at 2m

Warranty

Pump	2 years
O-ring and Mechanical Seal	1 year

MINDERSPEEDTM **PUMPS** employ the latest AC bearing technology. It minimizes noise and vibration during operation and maximize durability and performance of the motor.

Operating Limits

Model	
Maximum water temperature	50°C
Maximum Ambient Tempreture	50°C
Noise at 1 meter	65 dB

Application

- Domestic pools
- Small commercial pools
- Spa jet operation
- Solar pool heating
- Water features



Flow indicator & air relief valve




Chemical resistance pump body



Ultra-quiet induction motor


Technical Specification




Flow Rate(L/min)

Model	Code	Union Connection Size		Voltage	Phase	Frequency	Amperage	Input Power	Output Power	RPM	
		Imperial	Metric	V		Hz	Α	kw	HP		
MXB100	90889	2.0"		220 - 240	1		3.8	0.75	1		
MXB150	90890		2.0" 63mm	220 - 240	1		5.2	1.1	1.5		
MXB200	90891			' 63mm	220 - 240	1	50 / 60	7.0	1.5	2	2850
MXB200	90991				220 - 240	3		7.0	1.5	2	2000
MXB300	90892				or	1		8.7	1.85	2.5	
MXB300	90893			380 - 400	3		10.0	2.2	3		

Dimensions (mm)





MINDER WATER INDUSTRIES

